





Free Stand 180

Seitenansicht rechts/
Side view right




Kabeldurchlass aufklappbar/
Hinged cable inlet

Vorderansicht/
Front view






T-Nut für Nutensteine M5/
T-slot for slot nuts M5

Seitenansicht links/
Side view left




Draufsicht/
Top view



All data and dimensions are subject to change


Free Stand 180
8239-xxxxx



WS-1 not included

All data and dimensions are subject to change


Free Stand 180
8239-A0000 / 8239-B0000



WS-1 not included

All data and dimensions are subject to change


Free Stand 180
8239-A0000 / 8239-B0000



WS-1 not included

All data and dimensions are subject to change

Free Stand 180
8239-A0000 / 8239-B0000




WS-1 not included


All data and dimensions are subject to change

Free Stand 180
8239-A0000 / 8239-B0000


When using Free Stand 180 with DLI-230:
Check if further attachment points are necessary
to prevent Free Stand 180 from tipping over!



DLI-230



DLI-230
(fixed installation)
+ LS-2




DLI-230
(fixed installation)
+ LS-4

WS-1 not included

All data and dimensions are subject to change




Free Stand 180
8239-A0000 / 8239-B0000



WS-1 not included

All data and dimensions are subject to change

Free Stand 180
8239-A0000 / 8239-B0000



WS-1 not included

All data and dimensions are subject to change

Free Stand 180
8239-A0000 / 8239-B0000

Fohhn Audio AG
Großer Forst 15
72622 Nürtingen
Deutschland

Tel. +49 7022 93323-0
Fax +49 7022 93324-0
www.fohhn.com
info@fohhn.com

