

Converters

FR-21

Enables you to remotely control Fohhn Net devices using simple RS-232 commands



Converters FR-21

The FR-21 enables the control of Fohhn Net devices with simple RS-232 commands. It can store up to 32 macros on the device, and each can be used for commands such as presets, volume, routing or standby. The macros can be triggered with simple strings via RS-232. To configure the device with Fohhn Audio Soft, a Fohhn Net Adapter is required.



Main features

- Input for RS-232 commands: 3-pole terminal, 9600 baud, galvanically isolated
- Fohhn Net output (RJ-45), galvanically isolated

Available with the following color options



Black



For detailed information about all Fohhn technologies, color options and connections, please visit www.fohhn.com/en/technologies

Technical data

Physical features

dimensions (w × h × d)	105 × 45 × 50 mm
------------------------	------------------

Electronic features

power consumption	1 W
-------------------	-----

supply voltage	9 – 48 V
----------------	----------

Interface options

RS-232 Interface	3-pin connector, 9600 Baud, galvanically isolated
------------------	---

Fohhn Net interface	RJ-45, galvanically isolated
---------------------	------------------------------

Fohhn Audio AG
Großer Forst 15
72622 Nuertingen
Germany

Phone +49 7022 93323-0
Fax +49 7022 93324-0
www.fohhn.com
info@fohhn.com

