

# Converters

## A-1 live

USB audiointerface with two symmetric XLR outputs



# Converters A-1 live

The A-1 live is a two-channel USB audio interface with balanced XLR outputs. It enables the high-quality and trouble-free transmission of audio signals from a computer to a professional sound system and can be used without the installation of drivers.



## Main features

- 2 balanced XLR outputs for stereo or 2-channel output
- No hum thanks to galvanic isolation
- No separate power supply required
- 16 bit 44.1 / 48 kHz

Available with the following color options



Black



# Technical data

## Physical features

---

|            |   |
|------------|---|
| connectors | USB 1.1 Full Speed, galvanically isolated |
|------------|---|

---

|                        |                  |
|------------------------|------------------|
| dimensions (w × h × d) | 105 × 45 × 50 mm |
|------------------------|------------------|

---

## Electronic features

---

|              |  |
|--------------|--|
| power supply | USB powered / no separate power supply is required |
|--------------|--|

---

|               |                        |
|---------------|------------------------|
| audio outputs | 2-channel balanced XLR |
|---------------|------------------------|

---

|           |                      |
|-----------|----------------------|
| audio DAC | 16-Bit 44,1 / 48 kHz |
|-----------|----------------------|

---

|              |         |
|--------------|---------|
| output level | +10 dBu |
|--------------|---------|

---

**Fohhn Audio AG**  
**Großer Forst 15**  
**72622 Nuertingen**  
**Germany**

**Phone +49 7022 93323-0**  
**Fax +49 7022 93324-0**  
**[www.fohhn.com](http://www.fohhn.com)**  
**[info@fohhn.com](mailto:info@fohhn.com)**

