

# Convertisseurs

## FR-21

Permet de contrôler à distance les appareils Fohhn Net à l'aide de simples commandes RS-232.



# Convertisseurs FR-21

Le FR-21 permet de contrôler les appareils Fohhn Net à l'aide de simples commandes RS-232. Il peut stocker jusqu'à 32 macros sur l'appareil, et chacune peut être utilisée pour des commandes telles que les présélections, le volume, le routage ou la mise en veille. Les macros peuvent être déclenchées par de simples chaînes de caractères via RS-232. Pour configurer l'appareil avec Fohhn Audio Soft, un adaptateur Fohhn Net est nécessaire.



## Main features

- Entrée pour les commandes RS-232 : Terminal 3 pôles, 9600 bauds, isolation galvanique.
- Sortie Fohhn Net (RJ-45), isolée galvaniquement

Disponible avec les options de couleur suivantes



Noir



Pour des informations détaillées sur toutes les technologies, options de couleur et connexions de Fohhn, veuillez consulter le [www.fohhn.com/en/technologies](http://www.fohhn.com/en/technologies).

# Données techniques

## Physical features

---

dimensions (w × h × d)	105 × 45 × 50 mm
------------------------	------------------

---

## Electronic features

---

power consumption	1 W
-------------------	-----

---

supply voltage	9 – 48 V
----------------	----------

---

## Interface options

---

RS-232 Interface	3-pin connector, 9600 Baud, galvanically isolated
------------------	---

---

Fohhn Net interface	RJ-45, galvanically isolated
---------------------	------------------------------

---

**Fohhn Audio AG**  
**Großer Forst 15**  
**72622 Nuertingen**  
**Germany**

**Phone +49 7022 93323-0**  
**Fax +49 7022 93324-0**  
**[www.fohhn.com](http://www.fohhn.com)**  
**[info@fohhn.com](mailto:info@fohhn.com)**

