

Linea

LXP-10

用于音乐和语音的无源线性音源扬声器，1 × 4" / 0,75"，60 W，
最大 106 dB SPL，133 x 130 x 128 mm



Linea LXP-10

LXP-10 是一款结构紧凑的无源全频近场扬声器，用于传输高质量的语音和音乐。两分频系统采用同轴设计。LXP 是著名的Fohhn LX 产品系列功能更强大的后继产品。新的 T 型插槽便于安装。



Main features

- 4 英寸长行程底盘/0.75 英寸压缩驱动器
- 改善低频和动态效果
- 带有电子高频保护的集成分频器
- 额定功率（标称）：60 W
- 连接：2 × 2 针 Phoenix 端子
- 防水等级 IP52；IP54（带附件 "Cable Gland Set"）
- 新产品：连续 T 型槽，安装简单灵活
- 可根据要求提供RAL经典色、NCS或Pantone色
- 照片逼真 Fohhn Texture Design可选
- 为了确保性能和操作安全，Fohhn 系统放大器，包括正确的扬声器预设。



有以下颜色可供选择



黑色



白

配备以下Fohhn 技术



Fohhn Texture Design



特殊颜色可选



抗球冲击



可能具有耐候性

有关所有Fohhn 技术、颜色选项和连接的详细信息，请访问
www.fohhn.com/en/technologies

技术数据

Electroacoustic features	
acoustic design	compact weatherproof fullrange near field speaker system, 2- way coaxial
power rating (nominal)	60 watts
power rating (program)	120 watts
power rating (peak)	240 watts
components	1x 4" long excursion woofer / 0,75" dome tweeter, with self-resetting IPC HF protection, neodym components
maximum SPL	106 dB
maximum SPL with MA-x.100	100 dB
maximum SPL with MA-x.600	106 dB
maximum SPL with MA-x.1200	106 dB
maximum SPL with DI-x.1000	106 dB
maximum SPL with DI-x.2000	106 dB
maximum SPL with DI-x.4000	106 dB
frequency range	66 Hz - 20 kHz
2-way design	yes
nominal impedance	8 Ohm
nominal dispersion (h x v)	100° x 100°
Physical features	
enclosure	weatherproof aluminium housing, powder coated, steel bracings
connectors	2x 2-pin Phoenix terminal
dimensions (w x h x d)	133 x 130 x 128 mm
weight	1,3 kg
standard colours	black or white powder coated
weather protection	weatherproof with optional accessories
front design	ball impact resistant steel grille, powder coated
protection grille	steel grille, ball impact resistant, powder-coated
mounting points	continuous T-slot at the rear
CAAD simulation data	
simulation data	EASE, CLF, Ulysses, Fohhn Designer

额定功率（标称/程序）：符合 IEC-60268-5 标准（长期/短期）
额定功率（峰值）；最大声压级：峰值，20 ms，带滤波粉红噪声信号，符合 IEC 60268-2 标准，高于频率范围下限一个倍频程，预设扬声器

频率范围：消声半空间条件下 -10 dB，带扬声器预设值
重量：不含选配设备的净重
标称频散：水平 × 垂直，-6 分贝

Fohhn Audio AG Großer 电话 +49 7022 93323-0
Forst 15 72622 Nuertingen 传真 +49 7022 93324-0
德国 www.fohhn.com
 info@fohhn.com

